

UVA (PUVA) TL

TL -K 40W/10-R UV-A

Nowadays the preferred radiotherapy treatment of skin diseases like psoriasis is through the use of the 'B' bandwidth of the UV spectrum (290 to 315 nm), since this requires no photo-sensitizing agent. But some patients do not respond to UVB treatment, hence a UV lamp with an 'A' bandwidth of the UV spectrum is used, and here Philips offers a choice of either TL or PLS/PLL lamps. Both are ideal for when the UVB is unsuitable. These (PUVA) lamps have a wavelength of between 315 to 380 nm and are not only used for the treatment of psoriasis but are also commonly used for more than 20 other diseases. Nowadays the preferred radiotherapy treatment of skin diseases like psoriasis is through the use of the 'B' bandwidth of the UV spectrum (290 to 315 nm), since this requires no photosensitizing agent. But some patients do not respond to UVB treatment, hence a UV lamp with an 'A' bandwidth of the UV spectrum is used, and here Philips offers a choice of either TL or PLS/PLL lamps. Both are ideal for when the UVB is unsuitable. These (PUVA) lamps have a wavelength of between 315 to 380 nm and are not only used for the treatment of psoriasis but are also commonly used for more than 20 other diseases.

Product data

• General Information

Cap-Base G13 [G13 Medium Bi-Pin Fluorescent]
Bulb Shape T38 [T 38mm]
Main Application Phototherapy
Life To 50% Failures (Nom)
Useful Life (Nom) 2000 h

• Light Technical

Color Code Color Designation Chromaticity Coordinate X (Nom) Chromaticity Coordinate Y (Nom) 10-R Ultra Violet A 220 Lumen Depreciation 10 % At 500 Hours Lumen Depreciation At 1000 Hours LLMF 2000 h Rated 30 %

• Operating and Electrical

 Power (Rated)
 40.5 W

 (Nom)
 0.86 A

 Voltage (Nom)
 50 V

• UV

UV-B/UV-A (IEC) 0.1 %



UVA (PUVA) TL

UV-A Radiation 7.4 W 100Hr (IEC) UV-A Radiation 0Hr 8.0 W

(IEC)

• Product Data

Full product code 871150061223600 Order product name TL -K 40W/10-R UV-A

Warnings and Safety

 A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and


EAN/UPC - Product 8711500612236 Order code 928004101012 Numerator - Quan- 1

tity Per Pack
Numerator - Packs
Per outer box

Material Nr. (12NC) 928004101012 Net Weight (Piece) 156.000 g

remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Dimensional drawing





TL-K 40W/10-R UVA-1

Product	D	Α	В	В	С
TL -K 40W/10-R UV-A	40.5 mm	589.8 mm	596.9 mm	594.5 mm	604 mm



Photometric data







© 2016 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.